Claim 3. (original):

The low-gluten wafer according to claim 2 wherein the wafers are stored in an airtight environment.

Claim 4. (original):

The low-gluten wafer according to claim 1 wherein the wafers, after heating, are cooled to temperatures below about 32 degrees Fahrenheit

Claim 5. (original):

The low-gluten wafer according to claim 1, where the water has a temperature of about 125 degrees Fahrenheit

Claim 6. (original):

A method of making a low-gluten wafer comprising the steps of:

combining about one part wheat starch with about one part pre-gelatinized wheat starch into a first substantially homogeneous mixture,

adding water to the first homogenous mixture where the water has a temperature between about room temperature and about 212 degrees Fahrenheit degrees until the combination of water and the first substantially homogeneous mixture create a substantially homogeneous precooked mixture,

sheeting portions of the pre-cooked mixtures of about between 1/20th of a teaspoon to about 1/2 of a teaspoon onto a cooking surface having a temperature between about 250 degrees Fahrenheit and about 350 degrees Fahrenheit, and

cooking said portions for about 5 minutes to 10 minutes.

Claim 7. (original):

The method according to claim 6, where the sheeting step further includes shaping the portions of the pre-cooked homogeneous mixture into wafers having a diameter of about 1.0 inch to about 3.5 inches.

Claim 8. (original):

The method according to claim 7, where the cooking surface may include two parallel heated plates where said portion of the pre-cooked homogeneous is sheeted between the parallel plates.

Claim 9. (original):

The method according to claim 7, further comprising the step of cooling the wafers to a temperature between about 32 degrees Fahrenheit to room temperature.

Claim 10. (original):

The method according to claim 7, further comprising the step of cooling the wafers to a temperature below about 32 degrees Fahrenheit.

Claim 11. (original):

A low gluten wafer having a pre-cooked mixture composition of about 25 % by weight wheat starch, about 25 % by weight pre-gelatinized wheat starch, and about 50% water, where said water has a temperature between about room temperature to about 212 degrees Fahrenheit, where the wheat starch and pre-gelatinized wheat starch are first combined into a substantially homogeneous mixture and the water is then added and mixed to create a substantially homogeneous precooked mixture.

Claim 12. (original):

The low gluten wafer according to claim 11 where the water has a temperature of about 125 degrees Fahrenheit.

Claim 13. (original):

A low-gluten wafer comprising:
about 2 tablespoons of pre-gelatinized wheat starch,
about 2 tablespoons of pre-gelatinized wheat starch, and

No new matter is added by this Amendment. Prompt and favorable consideration of this Amendment is respectfully requested.

Respectfully submitted,

Anthony L. Meola (Reg. No. 44,936)

Date: February 23, 2004

HOWREY SIMON ARNOLD & WHITE, LLP

Box No. 34

1299 Pennsylvania Avenue, N.W. Washington, D.C. 20004-2402

about 1/4 cup of water.

(202) 783-0800